



PRODUCT LIST

IDENTIFICATION

	PC PC1034
	NAME KNOT SMALL CILINDRO D180 H280
	TYPE PENDENT LAMP
	COLLECTION KNOT SMALL
	LINE EXCLUSIVE LINE
DESIGNED BY CHIARAMONTE MARIN	
DIMENSIONS (MM) 180 x 280 x - x -	

CHARACTERISTIC

FEATURES

KNOT IS A COLLECTION OF STATELY PENDANT LIGHTS THAT APPOSE TWO DRAMATICALLY DISSIMILAR MATERIALS. THE DESIGN COMBINES COARSE NATURAL FIBRE WITH SMOOTH, TRANSPARENT BLOWN GLASS TO AROUSE A CONTRAST AS STRIKING AS IT IS DIGNIFIED. FULL-BODIED GLOBES OF VARYING SHAPES AND SIZES ARE PENETRATED BY ROBUST CORDS THAT SEEMINGLY PULL THE BOTTOM OF THE GLASS INWARD FOR A BEMUSING PLASTIC EFFECT. THE LED LIGHT SOURCE IS HOUSED IN A HANDSOME TOP HOOD, WHICH, LIKE THE CORD END CAP, IS FASHIONED IN REFINED METAL. THE COLLECTION CURRENTLY COMPRISES FOUR PENDANT LIGHTS AND SEVERAL COLOUR OPTIONS. KNOT SMALL EXPANDS THE KNOT COLLECTION WITH SMALLER VERSIONS OF EACH LIGHT. THE NEW SIZE COMES IN RESPONSE TO INCREASING DEMAND FOR COMPACT LIGHTS SUITED TO SMALLER INTERIORS AND LOWER CEILING HEIGHTS.

TECHNOLOGY



PRODUCT LIST

PRODUCT CLASSIFICATION

KNOT SMALL	CILINDRO		PC1034
GLASS COLOUR	BAS	SMOKE BROWN - TRANSPARENT GLASS	CGC538 •
GLASS COLOUR	BAS	OPALINE - TRANSPARENT GLASS	CGC38 •
GLASS COLOUR	BAS	SMOKE GREY - TRANSPARENT GLASS	CGC516 •
GLASS COLOUR	BAS	TRANSPARENT GLASS	CGC23 •
GLASS SURFACE	ALL	GLOSSY SURFACE	CGSU66
SURFACE FINISH	BAS	CHROME BLACK	CCS959 •
SURFACE FINISH	BAS	COPPER	CCS584 •
SURFACE FINISH	BAS	BRASS	CCS69 •
SURFACE FINISH	BAS	BRUSHED STAINLESS STEEL	CCS68 •
CANOPY SURFACE FINISH	BAS	CHROME BLACK	CCSC975
CANOPY SURFACE FINISH	BAS	COPPER	CCSC896
CANOPY SURFACE FINISH	BAS	BRASS	CCSC897
CANOPY SURFACE FINISH	BAS	BRUSHED STAINLESS STEEL	CCSC974
ROPE	BAS	ROPE - NATURAL	CRP970 •
LENGTH OF ROPE	BAS	IT MUST BE PROVIDED BY THE CLIENT, FROM THE CEILING TO THE BOTTOM OF THE LIGHT	CLR1939
BULBS	BAS	24V, LED, 10W, 2700K, 1510LM, RA80+, DIM	CEB1910
DIMMABLE VERSION	BAS	1-10V	CEDV1460
DIMMABLE VERSION	BAS	AC PHASE-CUT	CEDV1730
DIMMABLE VERSION	BAS	DALI VERSION	CEDV1458
DIMMABLE VERSION	BAS	PWM SIGNAL	CEDV1459
DIMMABLE VERSION	BAS	RF SYSTEM - STANDARD DIMMABLE VERSION	CEDV1461
SCREW CAP	ALL	NON-USER REPLACEABLE LIGHT SOURCE	CECSC2488
POWER VOLTAGE (VAC)	ALL	90-305VAC	PV2528
STANDARTS	ALL	CE	CEC160
STANDARTS	ALL	EN 60598-1 ED.6:2015	CEC569
STANDARTS	ALL	EN 60598-2-1:1997	CEC568
STANDARTS	ALL	IEC 60598-1:2014	CEC2471
STANDARTS	ALL	IEC 60598-2-1:1979+ A1:1987	CEC2472

